

LX-900B/10 VIDEO TRANSMITTER

900 MHz

LX-900B/10 is a single channel audio/video transmitter for 900 MHz. LX-900B/10 is using negative AM modulation same as a broadcast TV. Tested RF power is 10 W. This transmitter is extremely stable. It has built-in VSWR and temperature protection as well. This unit is available only for Law enforcement and Military.

10 W VIDEO TRANSMITTER



FEATURES:

- 916.6 MHz
- N type antenna connector
- 12 V battery operated
- RCA video input
- Excellent picture quality
- Very long range
- Recommended receiver DCV-900

Technical Specifications	LX-900B/10
Operating Frequencies:	916.6 MHz, 906 MHz
Channel:	# 1, 2
DC Voltage:	12 V – 14.4 V
RF power:	10 W
Minimum required voltage:	12 V
Video distortion:	5%
Maximum range:	N/A
Video Format:	PAL, NTSC
Current Consumption:	4 A / 12 V
Antenna:	N/A
Antenna Connector:	N type
Impedance:	50 ohms
Video Connector:	RCA F
Video Impedance:	75 ohms
Video level:	1 V
Temperature Range:	-40 +75* C
Dimensions:	6.5" X 4.0 " X 2.0"
Weight:	550 grams
Modulation:	Negative AM



www.rf-video.com,
Email to: info@rf-video.com.
Copyright © 2002-2005